

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2870	(219/391,393,395-398,400).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/29 09:39
L2	2692	(126/21a,21r,273r).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/29 09:39
L3	154	(1 2) and (fan blower impeller) and (pressure near7 (control\$4 adjust\$3 variable vary\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 11:17
L4	115	3 and cool\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 09:42
L5	153	(1 2) and (fan blower impeller) and (air near2 pressure) and (air near3 (control\$4 adjust\$3 variable vary\$3)).	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 11:03
L6	101	(1 2) and (fan blower impeller) and (air near2 pressure) and (flow near3 (control\$4 adjust\$3 variable vary\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 10:47
L7	6	(1 2) and (fan blower impeller) and (air near2 pressure) and (aperture near3 (control\$4 adjust\$3 variable vary\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 10:49
L8	13	(1 2) and (fan blower impeller) and (air near2 pressure) and (vent near3 (control\$4 adjust\$3 variable vary\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 10:50
L9	22	(1 2) and (fan blower impeller) and (air near2 pressure) and (exhaust\$3 near3 (control\$4 adjust\$3 variable vary\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 10:49
L10	21	(1 2) and (fan blower impeller) and (air near2 pressure) and (vent\$3 near3 (control\$4 adjust\$3 variable vary\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 10:50
L11	15	(1 2) and (fan blower impeller) and (air near2 pressure) and (damper near3 (control\$4 adjust\$3 variable vary\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 10:50
L12	10	(1 2) and (fan blower impeller) and (air near2 pressure) and (ventilat\$3 near3 (control\$4 adjust\$3 variable vary\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 10:52

## EAST Search History

L13	42	(1 2) and (fan blower impeller) and (air near2 pressure) and (valve near3 (control\$4 adjust\$3 variable vary\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 10:52
L14	122	(5 6 7 8 9 10 11 12 13) and (cook\$3 oven) and cool\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 11:05
L16	74	14 not 4	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 10:55
L17	18	(oven cook\$3) and (fan blower impeller) and (air near2 pressure) and (air near3 (control\$4 adjust\$3 variable vary\$3))	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:03
L18	9	(oven cook\$3) and (fan blower impeller) and (air near2 pressure) and (flow near3 (control\$4 adjust\$3 variable vary\$3))	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:03
L19	0	(oven cook\$3) and (fan blower impeller) and (air near2 pressure) and (aperture near3 (control\$4 adjust\$3 variable vary\$3))	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:04
L20	2	(oven cook\$3) and (fan blower impeller) and (air near2 pressure) and (vent\$3 near3 (control\$4 adjust\$3 variable vary\$3))	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:04
L21	3	(oven cook\$3) and (fan blower impeller) and (air near2 pressure) and (exhaust\$3 near3 (control\$4 adjust\$3 variable vary\$3))	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:04
L22	0	(oven cook\$3) and (fan blower impeller) and (air near2 pressure) and (ventilat\$3 near3 (control\$4 adjust\$3 variable vary\$3))	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:24
L23	1	(oven cook\$3) and (fan blower impeller) and (air near2 pressure) and (damper near3 (control\$4 adjust\$3 variable vary\$3))	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:05
L24	4	(oven cook\$3) and (fan blower impeller) and (air near2 pressure) and (valve near3 (control\$4 adjust\$3 variable vary\$3))	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:05
L25	7	(17 18 19 20 21 22 23 24) and cool\$3	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:10
L26	19	(17 18 19 20 21 22 23 24) not 25	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:10

## EAST Search History

L27	38	(oven cook\$3) and (fan blower impeller) and (pressure near7 (control\$4 adjust\$3 variable vary\$3)) and cool\$3	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:18
L28	31	27 not (25 26)	EPO; JPO; DERWENT	OR	ON	2007/05/29 11:18
L29	23	((oven cook\$3) and (fan blower impeller) and (air near5 pressure)). clm.	US-PGPUB	OR	ON	2007/05/29 11:25